



Blayney Shire Council



DISCHARGE OF LIQUID TRADE WASTE APPROVAL **APPLICATION FORM - S**

This application form is for businesses that intend to discharge Concurrence Classification S liquid trade wastes to the sewerage system. Please include all details as requested. When finished, return this form to Council, including attachments.

Type of waste

Please indicate the nature of your waste.

Septic tank waste	
<input type="checkbox"/> Effluent	<input type="checkbox"/> Septage
Pan content waste	
<input type="checkbox"/> Caravan park / mobile homes	<input type="checkbox"/> Septage
Pump-out from boat/marinas	
<input type="checkbox"/> Liquid galley waste	<input type="checkbox"/> Toilet waste
<input type="checkbox"/> Dock cleaning waste	

1. Normal hours of business+

Please indicate the hours of day during which discharge will normally take place.

	Start	Finish
Monday to Friday		
Saturday		
Sunday		

2. Odour inhibiting and other chemicals used (if any)

Please indicate the types of chemicals that may be added to the waste prior to discharge, include Material Safety Data Sheets for each chemical.

Name of chemical	Dose Rate

3. Proposed method of waste volume measurement

Please indicate how the discharge volume will be measured and provide details if appropriate.

<input type="checkbox"/> Meter	<input type="checkbox"/> Known tank/container capacity
<input type="checkbox"/> Pump out rate	Other

4. Proposed method of discharge

Please indicate how and where the waste will be discharged, include site plans and drawings if applicable.

5. Open areas

Please attach stormwater drainage plans for the site.

Stormwater is prohibited from being discharged into Council's sewerage system. The capacity for such flows is not provided in the sewerage system. Council does not generally accept the discharge of stormwater to sewerage system.

Does the proposed installation contain open areas that will drain to the sewerage system?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
---	------------------------------	-----------------------------

If yes, please provide details, including how stormwater ingress will be prevented.

6. Odour control measures (if applicable)

7. Measures to prevent grease trap waste being mixed with septic tank waste

Grease trap waste is not permitted to be discharged to the sewerage system.

Please indicate how grease trap waste will not be mixed with septic tank waste. Include measures used to clean any tanker that will be used to transport both types of waste.

By signing the application form, the applicant acknowledges that grease trap waste will not be mixed with septic tank waste.

8. Security arrangements at proposed disposal point (if applicable)

What measures will be in place to prevent unauthorised discharge of waste to the sewerage system?

9. For boat / marina facility (if applicable)

Bilge water is not permitted to be discharged to the sewerage system.

	Commercial	Private
Please indicate the number of vessels that may utilise the facility.		

Office Use			
APPLICATION No.	Information Complete	<input type="checkbox"/> Yes	<input type="checkbox"/> No

Council Details	
Address: Blayney Shire Council 91 Adelaide Street, BLAYNEY NSW 2799 PO Box 62 BLAYNEY NSW 2799	Website: www.blayney.nsw.gov.au Email: council@blayney.nsw.gov.au Phone: (02) 6368 2104 Fax: (02) 6368 3290