

Blayney Shire Council

DISCHARGE OF LIQUID TRADE WASTE APPROVAL APPLICATION FORM - S

This application form is for businesses that intend to discharge Concurrence Classification S liquid trade wastes to the sewerage system. Please include all details as requested. When finished, return this form to Council, including attachments.

Type of waste

Please indicate the nature of your waste.

Septic tank was	te				
	Effluent		Septage		
Pan content was	ste				
	Caravan park / mobile homes	Septage			
Pump-out from I	boat/marinas				
	Liquid galley waste		Toilet waste		
	Dock cleaning waste				
Please indicate t	he hours of day during which disc	charge will normally fa	ke place. Start	Finish	
Monday to Frida	ЗУ				
Saturday					
Sunday					
Please indicate tl	biting and other chemicals he types of chemicals that may be a safety Data Sheets for each cher	e added to the waste	e prior to discho	arge,	
Name of chemical			Dose Rate		
-	method of waste volume me now the discharge volume will be		le details if app	oropriate.	
	Meter		Known tank/con	tainer capacity	
	Pump out rate		Other		
Discharge of Liquid	Trade Waste Approval – Application Fo	orm S		Page I	

applicable.	
5. Open areas	
Please attach stormwater drainage plans for the site.	
tormwater is prohibited from being discharged into Council's such flows is not provided in the sewerage system. Council doe lischarge of stormwater to sewerage system.	
Does the proposed installation contain open areas that will drain to the sewerage system?	Yes No
yes, please provide details, including how stormwater ingress	will be prevented.
6. Odour control measures (if applicable)	
o. Odour control measures (if applicable)	
. Odour control measures (if applicable)	
	xed with septic tank waste
7. Measures to prevent grease trap waste being mix	•
7. Measures to prevent grease trap waste being mix Frease trap waste is not permitted to be discharged to the sew lease indicate how grease trap waste will not be mixed with se	erage system. eptic tank waste. Include measure
T. Measures to prevent grease trap waste being mix brease trap waste is not permitted to be discharged to the sew lease indicate how grease trap waste will not be mixed with seed to clean any tanker that will be used to transport both type by signing the application form, the applicant acknowledges the	erage system. eptic tank waste. Include measure ees of waste.
T. Measures to prevent grease trap waste being mix brease trap waste is not permitted to be discharged to the sew lease indicate how grease trap waste will not be mixed with seed to clean any tanker that will be used to transport both type by signing the application form, the applicant acknowledges the	erage system. eptic tank waste. Include measure ees of waste.
6. Odour control measures (if applicable) 7. Measures to prevent grease trap waste being mix 6. Grease trap waste is not permitted to be discharged to the sew 7. Elease indicate how grease trap waste will not be mixed with se is ed to clean any tanker that will be used to transport both type by signing the application form, the applicant acknowledges the nixed with septic tank waste.	erage system. eptic tank waste. Include measure ees of waste.

	ity arrangements at propose sures will be in place to prevent	-	• `		•	werage
9. For b	oat / marina facility (if applic	cable)				
Bilge wate	r is not permitted to be discharg	ed to the s	sewerage sy	rstem.		
					Commercio	ıl Private
Please indicate the number of vessels that may utilise the facility.						
- M						
Office Us	е	T				
APPLICATION No.		Information Complete		Yes	☐ No	
Council E Address:		SW 2799	Website: Email: Phone:	counc (02) 63	olayney.nsw.g il@blayney.ns 68 2104	